

Actassi



User Delighting End-to-End Connectivity

Schneider  
Electric

施耐德電氣



**Actassi** means “sharing the ocean”.

By choosing Actassi as your structured cabling solution, you will enter a **“Blue Ocean”** of ideas where connectivity becomes **user-centric** and **truly delightful** rather than merely easy to use.

In inviting you to **“share our Blue Ocean”**, we encourage you to discard old ways of thinking and set sail on a journey where a world of exciting new possibilities are well within reach.

# Discover the delights of Superior Usability!

"Superior Usability" takes the ease, usefulness and satisfaction offers you to the next level in five different ways:

**Makes your life even easier**

**Enables you to get your work done faster**

**Combines technology, artistry and beauty all in one**

**Lets you work in style**

**Frees you from worry by giving you instant second chances**

**Connectivity** × **Superior Usability** = **User Delights**



**Actassi** does far more than simply showcase technological achievement. In making technology work for you, we truly do deliver **Ocean of Delights!**



## From your data centre...

Actassi is designed to delight technologically-savvy IT professionals. Combined with our ID-Tracer™ Smart Patching Solution, our “Tough” Cabling will ensure your IT teams can maximize control of network connectivity systems, and greatly simplify both network planning and operations.

With Actassi, your IT teams will enjoy real peace of mind that comes from exceptional levels of product reliability and control.

## To your meeting rooms...

Delight internal and external customers by creating an organized and systematic impression of your meeting rooms with Actassi’s secure, reliable and easily wired network connections. Install our Ergo-Aesthetic Terminals and say “goodbye” to the headache of tangled patch cords on and under your conference tables.



## To your workstations...

Improve ergonomics at your workstations with our Ergo-Aesthetic Terminals. Delivering convenient connectivity, they let you start your work right away rather than having to bend down under the desk and fumble hopelessly around for patch cords.



## And even on the road...

When traveling out of town on business or pleasure, you are sure to be delighted with the wealth of thoughtful little Actassi details you will find inside your hotel room. This is especially true when you want to get online and surf the net. With Actassi, you will never have to travel very far to experience the ultimate blend of technology, artistry and beauty.

**Like the ocean, our  
innovative minds  
know no bounds**



## Achieve more with Less - Latest generation remote patching technology


Forget the limitations and cumbersome complexity of earlier remote patching systems and achieve more with less by switching to ID-Tracer™:

- Offers both dynamic labeling of patch panels and remote patching control via computer
- Maximizes control while lowering operating costs
- Improves scalability to 24-ports and compatible with open platform design
- Easy-to-use software requires no special training
- Instant recovery from errors



## Firm & Flexible - The revolutionary new dimension in structured cabling

Tired of voice or data quality problems caused by twisted or deformed cables? Our patent-pending F² Construction design delivers unrivalled structural integrity and ensures far superior data transmission performance, more headroom, higher cable balance and reliability.



Simple yet smart design optimizes shape design, thickness and choice of material:

- Shape design not only separates but maintains conductor separation consistency before, during, and after installation under any conditions
- Thickness is carefully calibrated to optimize flexibility and durability
- Choice of material includes polyethylene which is antioxidant and offers excellent impact and high-stress crack resistance



## Bends so you and your wires don't have to

Wouldn't it be great if someone created a port that did all the hard work for you! With its patented in-built 90-degree rotatable cradle, Flexiport simplifies your life by delivering multiple-angle access for patch cords.

- User-friendly connection enhances work ergonomics
- Reduces cable bending, thus improving reliability
- Improves plug-in accessibility
- Increases connection flexibility



## One-stroke single-handed plug-in convenience with ingress protection

Our patented integrated shutter mechanism, patented leadframe technology and zero-footprint design ensures you can easily establish new connections without having to worry about letting dust degrade your communications.

- Patented integrated shutter mechanism enables one-stroke single handed plug-in
- Patented leadframe technology provides extra reliability and reduces possible PC board failure
- Zero-foot print gives each unit an eye catching clean and tidy look
- Only currently available one-stroke single handed plug-in design that offers an IP22 ingress protection rating

**Enjoy  
comfortable full  
control at all times**



## ID-Tracer™ Smart Patching Solution - Your ideal guiding light for patching

Today's IT Professionals must respond quickly to network planning and operations. The biggest challenges involve setting up large IT infrastructures for new or newly relocated offices, and network management changes resulting from company re-structuring. Including patch panels, LAN controllers and software, our ID-Tracer™ Smart Patching Solution ensures efficient and reliable remote patching of such large dynamic networks.

The hardware excellence of our Smart Patching Solution will further enhance the performance of our ID-Tracer™ solution

Efficient patching of port IDs with dynamic labeling

- Changeable port ID numbers with scrolling LEDs in up to 5 digits
- Channel designation via function-icons changeable in 6-colors

Optional "green", energy-efficient sleep mode on LEDs

Simple system set up of LAN Controllers with a built-in power supply

Enables Network Administrators to carry out real-time M.A.C.s (Move, Add, Changes) anytime, anywhere via a user-friendly software interface

Instant disconnection alerts ensure more secure control of network activities



**Large  
Dynamic  
Network**



The Lighthouse



**60% Reduction in IT  
Infrastructure Installation**

## Actassi 10G Cat6A F/UTP 4-Pair LAN Cable Performance

| Freq (MHz) | Attenuation (dB/100m) | NEXT (dB) | PS NEXT (dB) | EL FEXT (dB) | PSELFEXT (dB) | RL (dB) | DELAY (ns/100m) | PSANEXT (dB) | PSAACRF (dB) |
|------------|-----------------------|-----------|--------------|--------------|---------------|---------|-----------------|--------------|--------------|
| 1          | 2.1                   | 74.3      | 72.3         | 67.8         | 64.8          | 20      | 570             | 67           | 67           |
| 4          | 3.8                   | 65.3      | 63.3         | 55.8         | 52.8          | 23      | 552             | 67           | 66.2         |
| 8          | 5.3                   | 60.8      | 58.8         | 49.7         | 46.7          | 24.5    | 547             | 67           | 60.1         |
| 10         | 5.9                   | 59.3      | 57.3         | 47.8         | 44.8          | 25      | 545             | 67           | 58.2         |
| 16         | 7.5                   | 56.2      | 54.2         | 43.7         | 40.7          | 25      | 543             | 67           | 54.1         |
| 20         | 8.4                   | 54.8      | 52.8         | 41.8         | 38.8          | 25      | 542             | 67           | 52.2         |
| 25         | 9.4                   | 53.3      | 51.3         | 39.8         | 36.8          | 24.3    | 541             | 67           | 50.2         |
| 31.25      | 10.5                  | 51.9      | 49.9         | 37.9         | 34.9          | 23.6    | 540             | 67           | 48.3         |
| 62.5       | 15                    | 47.4      | 45.4         | 31.9         | 28.9          | 21.5    | 539             | 65.6         | 42.3         |
| 100        | 19.1                  | 44.3      | 42.3         | 27.8         | 24.8          | 20.1    | 538             | 62.5         | 38.2         |
| 200        | 27.6                  | 39.8      | 37.8         | 21.8         | 18.8          | 18      | 537             | 58           | 32.2         |
| 250        | 31.1                  | 38.3      | 36.3         | 19.8         | 16.8          | 17.3    | 536             | 56.5         | 30.2         |
| 300        | 34.3                  | 37.1      | 35.1         | 18.3         | 15.3          | 16.8    | 536             | 55.3         | 28.7         |
| 400        | 40.1                  | 35.3      | 35.1         | 15.8         | 12.8          | 15.9    | 536             | 53.5         | 26.2         |
| 500        | 45.3                  | 33.8      | 31.8         | 13.8         | 10.8          | 15.2    | 536             | 52           | 24.2         |



Extensive Data Applications



Faster Data Transmissions

The Flying Fish



Front view



Back view

## 10G Solution - Adding wings to your data transmissions

With new IP-reliant VoIP, video streaming, live feed and surveillance applications emerging constantly, ensuring optimal speed, reliability and cost-effectiveness is more vital than ever. Effectively future-proofing your company's infrastructure, Schneider Actassi's 10G solution will always keep your business ahead of the technological curve.

Supports 10G (Gigabit) Ethernet and beyond

Enhances EMC, interference prevention (only valid for shielded solution) and system performance

### **10G Category 6A Fully Shielded Modular Jacks**

Cutting edge jack design requires no tools for installation or punch down termination

High quality zinc alloy full shielding with automatic earthing, provides outstanding protection against noise interference

### **10G Category 6A FTP 24-Port Patch Panels**

Easy, tool-free mounting of Category 6A modular jacks

Easily visible front labelling of circuits

Automatic earthing of connectors

Rear cable management tray can be added after termination

### **10G Category 6A FTP Patch Cords**

Blade contact area is plated with 50 micro-inches of hard gold over 100 micro-inches of nickel



**Demanding  
Cabling Installation  
Conditions**

+



The Jelly Fish

=

**Increased Simplicity  
and Durability**



## Fibre Solution - Make your reliability really shine

Data centres are frequently so hectic, it's difficult to install connections sufficiently securely that they don't break. Incorporating an advanced permanent polymer coating and offering enhanced durability and flexibility, Schneider Actassi Ultraflex Fibre cables are the perfect choice for the busiest environments.

### Fibre Patch Panels & Splice Trays

Powder-coated steel enclosure has a tinted removable plexiglas cover for ease of installation, inspection and testing

Innovative, slide in/slide out cable design provides additional flexibility during installation and future moves or configuration changes

Fibre patch panels and splice trays deliver high-level functionality and performance by accommodating different modular adapter panels and splice trays

### Ultraflex Fibre Cord

Cables can be terminated with a comprehensive range of SC, LC, ST and MT-RJ connectors



LC Connector



SC Connector



ST Connector



## Multiplus Solution - Carry the loads anyway you like

The fact that most currently available cabling customization systems have 24 or more ports means purchasing cabling for all panels even when only 6 ports need to be used.

Setting new benchmarks in adaptability, our new 19" Multiplus solution incorporates easily interchangeable basic customization panels that will save you from wasting valuable money, space and resources on cabling you will never use.



Flexible, high-density Multiplus Universal 19" panel

Individual 1/24 support for Category 5e and 6 cabling, UTP, FTP or shielded RJ45 connectors and optical connector couplers

Can support combinations of Category 5e, 6 and 6A data connectors, voice cassettes, fiber optic connectors and modules

Easily customizable solution for all widely used structured cabling

Front and support cabling can be clicked directly on and off panels as often as needed

Flexible, modular design, coloured faceplates and clear labels in blue, black, yellow, green, red and white simplify operation, maintenance and adjustment

Automatic grounding by simply clicking FTP or shielded connectors

Integrated rear cable holders and cable bar fastening


**Complicated  
Multiple Cable  
Needs**



The Superliner



**Single Customized &  
Optimized Solution**



**Transmission  
strength that  
comes from deep  
within**

## F<sup>2</sup> Cable -

# The efficient, reliable, invisible hero in your office

### F<sup>2</sup> Cat6 UTP Cable Transmission Performance

| Freq (MHz) | NEXT (dB) |       | PS NEXT (dB) |       | EL FEXT (dB) |       | Attenuation (dB/100m) |       | RL (dB) |       |
|------------|-----------|-------|--------------|-------|--------------|-------|-----------------------|-------|---------|-------|
| 1.00       | 74.30     | 99.01 | 72.30        | 95.02 | 67.80        | 90.75 | 2.02                  | 1.63  | 20.00   | 28.82 |
| 4.00       | 65.27     | 88.22 | 63.27        | 86.97 | 55.76        | 81.02 | 3.78                  | 3.37  | 23.01   | 34.37 |
| 10.00      | 59.30     | 80.18 | 57.30        | 77.80 | 47.80        | 74.32 | 5.95                  | 5.41  | 25.00   | 36.30 |
| 16.00      | 56.24     | 83.57 | 54.24        | 73.94 | 43.72        | 75.87 | 7.55                  | 6.88  | 25.00   | 34.81 |
| 20.00      | 54.78     | 72.49 | 52.78        | 72.02 | 41.78        | 84.65 | 8.47                  | 7.71  | 25.00   | 38.85 |
| 31.25      | 51.88     | 73.94 | 49.88        | 73.38 | 37.90        | 71.38 | 10.67                 | 9.69  | 23.64   | 40.30 |
| 62.50      | 47.36     | 68.33 | 45.36        | 65.40 | 31.88        | 61.96 | 15.38                 | 13.84 | 21.54   | 35.15 |
| 100.00     | 44.30     | 66.38 | 42.30        | 64.34 | 27.80        | 60.16 | 19.80                 | 17.65 | 20.11   | 39.92 |
| 200.00     | 39.78     | 68.63 | 37.78        | 65.18 | 21.78        | 58.57 | 28.98                 | 25.34 | 18.00   | 38.49 |
| 250.00     | 38.33     | 66.64 | 36.33        | 65.15 | 19.84        | 59.24 | 32.85                 | 28.49 | 17.32   | 32.92 |

\* Values in Grey refer to the requirement of TIA/EIA & ISO/IEC Standards

\* Values in Blue refer to Typical Actassi F<sup>2</sup> Cat6 UTP cable performance, tested based on 105 meters.

Structured cabling is the vital link between all the components in your computer network. Poor installation can cause severe bending and stress of cabling, often resulting in system failure. Our "Tough" cabling incorporates a patent-pending F<sup>2</sup> construction that guarantees performance under widely varied installation quality.

4-twisted pairs of high-purity solid copper wires optimize flexibility, ease of installation and long-range data transmission efficiency

Durable PVC protective jacket ensures longer product life by keeping cables tangle-free and enhancing tear-resistance

High-density Polyethylene insulation provides better protection and optimum resistance to extreme temperatures and climactic conditions



Varying  
Installer  
Quality



Reduction in  
Rework Frequency

The Submarine

# ID-3™ F<sup>2</sup> Patch Cord - The colorful 2-piece mix-and-match design that always ensures the right pick



## ID-3™ F<sup>2</sup> Cat6 Patch Cord Transmission Performance

| Freq (MHz) | NEXT (dB) |        | PS NEXT (dB) |       | EL FEXT (dB) |       | Attenuation (dB/100m) |       | RL (dB) |       |
|------------|-----------|--------|--------------|-------|--------------|-------|-----------------------|-------|---------|-------|
| 1.00       | 74.30     | 95.73  | 72.30        | 91.16 | 67.80        | 99.88 | 2.43                  | 1.85  | 20.00   | 29.44 |
| 4.00       | 65.27     | 94.70  | 63.27        | 83.35 | 55.76        | 82.40 | 4.54                  | 3.86  | 23.01   | 38.52 |
| 10.00      | 59.30     | 109.12 | 57.30        | 83.05 | 47.80        | 72.04 | 7.14                  | 6.18  | 25.00   | 35.15 |
| 16.00      | 56.24     | 98.03  | 54.24        | 76.34 | 43.72        | 66.14 | 9.06                  | 7.85  | 25.00   | 32.41 |
| 20.00      | 54.78     | 90.25  | 52.78        | 69.50 | 41.78        | 62.08 | 10.16                 | 8.79  | 25.00   | 31.86 |
| 31.25      | 51.88     | 85.21  | 49.88        | 67.93 | 37.90        | 59.31 | 12.81                 | 11.03 | 23.33   | 32.57 |
| 62.50      | 47.36     | 87.86  | 45.36        | 64.95 | 31.88        | 53.57 | 18.46                 | 15.71 | 20.74   | 31.69 |
| 100.00     | 44.30     | 85.73  | 42.30        | 64.88 | 27.80        | 48.77 | 23.76                 | 20.08 | 18.99   | 34.28 |
| 200.00     | 39.78     | 79.92  | 37.78        | 60.61 | 21.78        | 47.66 | 34.78                 | 28.73 | 16.40   | 23.35 |
| 250.00     | 38.33     | 68.62  | 36.33        | 58.92 | 19.84        | 48.56 | 39.42                 | 32.23 | 15.57   | 20.69 |

\* Values in Grey refer to the requirement of TIA/EIA & ISO/IEC Standards

\* Values in Blue refer to Typical Actassi ID-3™ F<sup>2</sup> Patch cord performance, tested based on 105m meters.

Unclear  
Connectivity



The Bikini



Execute  
M.A.C.s Within  
One Minute



Identifying patch cords is always the most confusing aspect of executing network M.A.C.s (Move, Add, Changes). Our ID-3™ F<sup>2</sup> Patch Cords offer you all the advantages of our pioneering patent-pending F<sup>2</sup> construction. With ID-3™ explicit 3-way labeling enabling up to 36 colorful combinations, you'll also never again need to waste valuable time identifying an important patch cord by unplugging cords one by one.

4 twisted-pairs of stranded copper wires ensure more flexible and reliable performance

Printed labels can be placed under the color caps & rings to prevent them from being accidentally erased

Fully-moulded RJ45 plugs ensure pair integrity and enhance heavy strain relief

Durable PVC protective jacket ensures longer product life by keeping cables tangle-free and enhancing tear-resistance

High-density Polyethylene insulation provides better protection and optimum resistance to extreme temperatures and climactic conditions

Inconvenient Work  
Station Network  
Connection



The Dolphin

Improved  
Work  
Ergonomics

## Deskmount/Wallmount Flexiport - Takes work ergonomics and connectivity to new heights



With people working longer and longer hours, comfort and ergonomics are becoming essential considerations in the workspace. Enabling instant connectivity at individual workstations, our ergo-aesthetic Deskmount and Wallmount Flexiport Terminals let you dive straight into your work without having to fumble around for patch cords.

Incorporates patented Flexiport™ mechanism and PlanuShut™ design

One-surround compatibility that fits the most commonly used holes sizes on office system furniture

Flame-retardant polycarbonate material ensures extra durability





## Tabletop Patch Hub - Forget scrabbling around a mess of patch cords and get organized

There are few things in life more frustrating than having to scrabble around beneath conference room tables trying to identify or route patch cords. With our stylish Tabletop Patch Hub enabling easy access to cords in use and concealing those that are not needed, you can say goodbye to back-breaking tangled patch cord problems forever.

Reliable Wired Network Connection with pull-proof retractable patch cords

Clear network connection status through LED lights

Enhance your company's corporate image with stylish design that fit neatly in with the most elegant meeting room

**Tangled  
Patch  
Cords**



The Starfish



**Uncluttered  
Conference  
Tables**



Desktop Patch Caddy -  
**Connectivity has never  
looked more delightful**



**In-room  
Internet  
Access**



The Stingray



**Delighted  
Hotel  
Guests**



What could be more reassuring than arriving in a strange hotel in a strange city to find that you can instantly email your loved ones and workmates to let them know you've arrived safe and sound! By adding Actassi Desktop Patch Caddies in their rooms, hotels will not only make their guests' lives simpler, they will also brighten up their rooms.

Our Desktop Patch Caddy lets guests experience the ultimate blend of technology, artistry and beauty

Stylish design enhances all kinds of interior décor

Convenient one-point desktop network access via simple pull-through cable management

Optional display card holder for connection instruction



# Product Specifications

---

## Smart Patching Solution

Patch Panel



LAN Controller



Software



---

## 10G Solution

Modular Jack



Cable



Patch Cord



Patch Panel




---

## Fibre Solution

Fibre Cable  
(Single Mode/Multi Mode)



Slide Tray Patch Panel



Patch Cord



**Product Number****Product Description**

---

|              |  |
|--------------|--|
| RJ6A1/24PPPS | ID-Tracer™ Patch Panel, Category 6, 24-Port  |
| TPFPU10      | ID-Tracer™ LAN Controller, for up to 10 Panels, without plug   |
| TPFPU10/Tx   | ID-Tracer™ LAN Controller, for up to 10 Panels, with plug<br>Where x denotes Plug type : B, C, D, G, I |
| TPFSUSV      | ID-Tracer™ Software Pack, Single Panel version   |
| TPFSULV      | ID-Tracer™ Software Pack, LAN version  |

---

|                  |  |
|------------------|--|
| ACTRJSMTG6ANSSP  | Non-Shutter Modular Jack, Category 6A 10G FTP Keystone, Metal , Panel Version  |
| ACTRJSMTG6ANSS   | Non-Shutter Modular Jack, Category 6A 10G FTP Keystone, Metal  |
| ACTTG4P6ASCM3RBU | 10G Lan Cable 4Pair FTP PVC 305m REEL  |
| ACTTG4P6ASLS3RBU | 10G Lan Cable 4Pair FTP LSZH 305m REEL   |
| ACTPTG6ASxyy1Ozz | Patch Cord 568A/B 10G Category 6A, (1-10m)<br>Where x denotes wiring sequence : A - 568A, B - 568B<br>yy denotes Jacket material : CM - PVC, LS - LSZH<br>zz denotes colour : GY - Grey, BU - Blue, WE - White<br>(1m, 2m, 3m, 5m & 10m available) |
| ACTPP6ATGS24NSU  | 10G Category 6A FTP 24-port Patch Panel, unloaded  |

---

|                 |  |
|-----------------|--|
| ACTNDTG02MMLS   | 10G Indoor Multi-Mode LSZH Cable, 2 Core (2-24 Cores)                          |
| ACTNDB06SM9FR   | Tight Buffer Building PVC Cable, 6 Core, Single-Mode (2-12 Cores)              |
| ACTUDUTLA04SM9  | Unitube Light-Armoured Cable, 4 Core, Single-Mode (4-24 Cores)                 |
| ACTUDSLAM04SM9  | Stranded Loose Tube Armoured Cable, 4 Core (4-12 Cores)                        |
| ACTNUD04SMLS    | Indoor/Outdoor Cable, LSZH, 4 Core, Single-Mode (4-72 Cores)                   |
| ACTFM1UST24     | 1U, 24-Port ST Fibre Patch Panel, Loaded (24 ports & 48 ports) (LC, SC & MTRJ) |
| ACTFP1C3S19S10  | SC, simplex, OS1, Single-Mode, 9/125um, Fibre Patch Cord, 1m (1-10m)           |
| ACTFP1L3S19S10  | LC, Simplex, OS1, Single-Mode, 9/125um, Fibre Patch Cord, 1m (1-10m)           |
| ACTFP2L3S19S20U | LC, Duplex 9/125,SM Ultraflex patch cord, 2m (2-3m)                            |
| ACTFP1T3M35M20U | ST, Simplex 50/125,MM, OM3 Ultraflex patch cord, 2m (2-3m)                     |

---

# Product Specifications

## Multiplus Solution



## "Tough" Cabling & Connectivity

Modular Jack - UTP



- FTP



Cable



Patch Cord



Patch Panel



## Ergo-Aesthetic Terminals

Deskmount



Wallmount



Wallplates



Tabletop Patch Hub



Desktop Patch Caddy



**Product Number****Product Description**

---

|           |   |
|-----------|---|
| VDI9910x  | Multiplus 19" universal blank panel 24 ports<br>Where x denotes type : F - FTP, U - UTP                                       |
| VDI7700Gx | Multiplus.6 Modular Jack<br>Where x denotes type : U - FTP, E - UTP   |
| VDI7700Sx | Multiplus.5e Modular Jack<br>Where x denotes type : DB - FTP, U - UTP   |
| VDI990x   | Multiplus Modular Jack Support Shutter<br>Where x denotes type : 0-White, 1-Blue, 2-Yellow, 3-Green, 4-Red                    |
| VDI990xx  | Multiplus Modular Jack Support Non-Shutter<br>Where x denotes type : 0B-White, 1B-Blue, 2B-Yellow, 3B-Green, 4B-Red, 0N-Black |
| VDI99xx   | Multiplus fibre Optic module, Blue<br>Where x denotes type : 50-3 Ports, 60-6 Ports   |

---

|                 |  |
|-----------------|--|
| ACTRJSM5ENSUWE  | Non-Shutter Modular Jack, Category 5e, UTP Keystone, White |
| ACTRJSM6SHUWE   | PlanuShut Modular Jack, Category 6, UTP Keystone, White    |
| ACTRJSM5ENSS    | Non-Shutter Modular Jack, Category 5e, FTP Keystone        |
| ACTRJSM6NSS     | Non-Shutter Modular Jack, Category 6, FTP Keystone         |
| 2D4P6T2PS3R BU  | F <sup>2</sup> Cable, Category 6, UTP, 305m, Blue          |
| ACT4P6UCM3RBBU  | Lan Cable, Category 6, 4 Pair, UTP, Blue                   |
| ACT4P5EUCM3RBBU | Lan Cable, Category 5, 4 Pair, UTP, Blue                   |
| RJ6T2/10PL      | ID-3™ F <sup>2</sup> Patch Cord, Category 6, UTP, 1m       |
| RJ6T2/20PL      | ID-3™ F <sup>2</sup> Patch Cord, Category 6, UTP, 2m       |
| RJ6T2/30PL      | ID-3™ F <sup>2</sup> Patch Cord, Category 6, UTP, 3m       |
| RJ6T2/50PL      | ID-3™ F <sup>2</sup> Patch Cord, Category 6, UTP, 5m       |
| ACTPP6U24SHC    | Category 6 UTP 24-port ID6 Shuttered Patch Panel, loaded   |
| ACTPP6U24SHS    | Category 6 UTP 24-port Shuttered Patch Panel, loaded       |

---

|                 |   |
|-----------------|---|
| OCDM02RJ6S      | Deskmount Flexiport™ with PlanuShut™ Modular Jacks,<br>Category 6, 2-Gang   |
| OCDM02RJHB      | Deskmount Flexiport™ with Category 6 Data and Voice<br>PlanuShut™ Modular Jacks   |
| E3000RJ2A6S, GS | Category 6, Shuttered, 2 Gang Flexiport Wallmount, Grey & Silver  |
| E3000RJ1A5S, WE | Category 5e, Shuttered, 1 Gang Flexiport Wallmount, White   |
| E3031RJK GS     | E3000 1 Gang Keystone Plate Shutter   |
| E2031SRJKI      | RJ45 Keystone, Shuttered, 1 Gang Outlet Wall Plate, with Channel & Circuit ID Slot  |
| OCSW05P100      | Tabletop Patch Hub with retractable patch cords,<br>Category 6, 10/100 Base, 1-in-4-out ports, without plug   |
| OCSW05P100/Tx   | Tabletop Patch Hub with retractable patch cords,<br>Category 6, 10/100 Base, 1-in-4-out ports, with plug<br>Where x denotes Plug type : B, C, D, G, I |
| OCCBLMBX99      | Desktop Patch Caddy with Information Holder & 2m Patch Cord   |

---

**Get connected in  
our Blue Ocean.**





## About Schneider Electric

As a global specialist in energy management with operations in more than 100 countries, Schneider Electric offers integrated solutions across multiple market segments, including leadership positions in energy and infrastructure, industrial processes, building automation, and data centres/networks, as well as a broad presence in residential applications. Focused on making energy safe, reliable, and efficient, the company's 114,000 employees achieved sales of more than 18.3 billion euros in 2008, through an active commitment to help individuals and organizations "Make the most of their energy".

The Installation Systems & Control Division of Schneider Electric provides solutions that represent the best in lifestyle and innovation for offices, hotels and homes. These solutions include award-winning products in the areas of building and home automation, structured cabling, and designer switches and sockets. They help the finest architectures around the world to achieve more with less.

[www.schneider-electric.com](http://www.schneider-electric.com)

[www.actassi.com](http://www.actassi.com)

**Schneider Electric (HK) Ltd.**

13th Floor, East Wing, Warwick House, Taikoo Place,  
979 King's Road, Quarry Bay, Hong Kong  
Tel : (852)2565 0621 Fax : (852)2811 1029  
Customer Care Centre : (852)2579 9699  
[www.schneider-electric.com.hk](http://www.schneider-electric.com.hk)

Macau Branch Office :  
Suite D, 13th Floor, The Macau Square,  
Avenida do Infante D. Henrique, No. 47-53, Macau  
Tel : (853)2871 7488  
Fax : (853)2871 7499